CTRYPTOMICS

Certificate of Analysis

www.tryptomics.com

Т

	Sample Name Aman		iita Chocolate Bar		Client ID Hixotic		Hixotic				
	Sample Type		Edible	Ar	nalysis Date		7/10/2023				
	Sample Batch ID	nple Batch ID 0707		In	strument ID		Agilent HPLC-D/	٩D			
	Tryptomics ID		A-056		Assay ID	2 Compound Ama Panel	anita				
A-Amanitin			Muscimol				Ibotenic Acid				
	Presence or Absence		Concentration (mg/serving)		Concentration (mg/bar)	-		-	Concentration (mg/bar)		
	NT	0.125		1.25	0.048		C	0.48			
			Abou	± N.A.				t lhatania Asid.			


About A-Amanitin :


T


Alpha amanitin is an extremely toxic metabolite produced by certain mushroom species known as Amanita phalloides. Ingestion of alpha amanitin can cause extreme abdominal discomfort, liver failure and even death due to its ability to inhibit RNA polymerase II activity which prevents protein synthesis throughout the body's cells. As such it has no known uses. Muscimol is an isoxazole compound and a potent agonist of the GABA-A receptors in the brain. It can produce sedative, hypnotic, dissociative, and hallucinogenic effects in humans if taken in large doses. Muscimol is produced through the decarboxylation of lbotenic Acid through various processes. Its use carries a risk of adverse effects such as hallucinations, confusion, and motor impairment.

About Muscimol:

About Ibotenic Acid: Ibotenic acid is an isoxazole compound that acts as a glutamate receptor agonist. It is found in a wide range of mushrooms species from the Amanita genus. It has been used to induce seizures in animals for research purposes due to its ability to stimulate excitatory pathways leading from the hippocampus. In humans, ibotenic acid can cause nausea, vomiting and diarrhea if ingested in large doses.









LOD = Limit of Detection, ND = Not Detected, NT = Not Tested

This certificate of analysis is for research and development purposes only. Please email questions to cking@tryptomics.com

Certificate of Analysis

www.tryptomics.com

Sample Name	Aman	iita Chocolate Bar	Client ID			Hixotic		
Sample Type	Edible 07012025 A-056		A	nalysis Date		7/10/2023		
Sample Batch ID			In	nstrument ID		Agilent HPLC-DA		
Tryptomics ID				Assay ID	2 Compound Amanita Panel			
A-Amanitin		Muscimol				lboten	ic Ac	id
		Concentration	וו	Concentratio	n	Concentration	Conce	entrat

Presence or Absence	Concentration (mg/serving)	Concentration (mg/bar)	Concentration (mg/serving)	Concentration (mg/bar)	
NT	0.132	1.32	0.044	0.44	
	About Muscimol:		About Ibotenic Acid:		


About A-Amanitin :


T


Alpha amanitin is an extremely toxic metabolite produced by certain mushroom species known as Amanita phalloides. Ingestion of alpha amanitin can cause extreme abdominal discomfort, liver failure and even death due to its ability to inhibit RNA polymerase II activity which prevents protein synthesis throughout the body's cells. As such it has no known uses.

Muscimol is an isoxazole compound and a potent agonist of the GABA-A receptors in the brain. It can produce sedative, hypnotic, dissociative, and hallucinogenic effects in humans if taken in large doses. Muscimol is produced through the decarboxylation of Ibotenic Acid through various processes. Its use carries a risk of adverse effects such as hallucinations, confusion, and motor impairment.

Ibotenic acid is an isoxazole compound that acts as a glutamate receptor agonist. It is found in a wide range of mushrooms species from the Amanita genus. It has been used to induce seizures in animals for research purposes due to its ability to stimulate excitatory pathways leading from the hippocampus. In humans, ibotenic acid can cause nausea, vomiting and diarrhea if ingested in large doses.









LOD = Limit of Detection, ND = Not Detected, NT = Not Tested

This certificate of analysis is for research and development purposes only. Please email questions to cking@tryptomics.com

CTRYPTOMICS

Certificate of Analysis

www.tryptomics.com

Sample Name	Amar	nita Chocolate Bar		Client ID		Hixotic		
Sample Type		Edible	Analysis Date		7/10/2023			
Sample Batch ID	070	12026	In	strument ID	Agilent HPLC-DAD			
Tryptomics ID		A-056		Assay ID 2 Compound Amanita Panel		anita		
A-Amanitin	Mu	ISC	imol		Iboten	Ibotenic Acid		
Presence or Absence		Concentration (mg/serving)		Concentration (mg/bar)	n	Concentration (mg/serving)	Concentratior (mg/bar)	
 NT	0.128		1.28		0.038	C	.38	

About A-Amanitin :

T

Alpha amanitin is an extremely toxic metabolite produced by certain mushroom species known as Amanita phalloides. Ingestion of alpha amanitin can cause extreme abdominal discomfort, liver failure and even death due to its ability to inhibit RNA polymerase II activity which prevents protein synthesis throughout the body's cells. As such it has no known uses. Muscimol is an isoxazole compound and a potent agonist of the GABA-A receptors in the brain. It can produce sedative, hypnotic, dissociative, and hallucinogenic effects in humans if taken in large doses. Muscimol is produced through the decarboxylation of lbotenic Acid through various processes. Its use carries a risk of adverse effects such as hallucinations, confusion, and motor impairment.

 NH_2

About Muscimol:

stimulate excitatory pathways leading from the hippocampus. In humans, ibotenic acid can cause nausea, vomiting and diarrhea if ingested in large doses.

HC

About Ibotenic Acid:

Ibotenic acid is an isoxazole compound that


acts as a glutamate receptor agonist. It is

found in a wide range of mushrooms

species from the Amanita genus. It has

been used to induce seizures in animals for

research purposes due to its ability to





HC

LOD = Limit of Detection, ND = Not Detected, NT = Not Tested

This certificate of analysis is for research and development purposes only. Please email questions to cking@tryptomics.com